## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: DC

Supplier's address: Einkauf, Gewerbestraße 10, DE

Model identifier: LED10MZ4L

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	GZ4		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Nein	Envelope:	-
High luminance light source:	Nein		
Anti-glare shield:	Nein	Dimmable:	Only with specific dimmers

## **Product parameters**

Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption ir mode (kWh/1000 h), rou up to the nearest integer		2	Energy efficiency class	F		
Useful luminous flux ( indicating if it refers to th in a sphere (360°), in a cone (120°) or in a narrow (90°)	ne flux wide	160 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power expressed in W	(P <sub>on</sub> ),	1,7	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked standby powe for CLS, expressed in V rounded to the second de	V and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80		
Outer Height		30	Spectral power	See image		
dimensions Width		30	distribution in the	in last page		

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	9	range 250 nm to 800 nm, at full-load				
Claim of equivale	ent power <sup>(a)</sup>	-	lf yes, equivalent power (W)	-			
			Chromaticity	0,443			
			coordinates (x and y)	0,404			
Parameters for LED and OLED light sources:							
R9 colour render	ring index value	5	Survival factor	0,90			
the lumen maintenance factor		0,70					
(2)							

(a)'-' : not applicable;

(b)'-' : not applicable;

